

Table of Resistivity	State	Resistivity in $\mu\Omega\text{cm}$			
		295 K	90 K	77 K	4.2 K
Brass 70%Cu 30%Zn	strained annealed	7.2 6.6	5.0 4.2		4.3 3.6
Constantan 70%Cu 40%Ni	As manufactured	52.5	45		44
Cupro-nickel 80%Cu 20%Ni	“	26		24	23
Evanohm 75%Ni 20%Cr 2.5%Al 2.5%Cu	“	134	133		133
Manganin 84%Cu 12%Mn 4%Ni	“	48	46	45	43
Monel	“	50		32	30
Silicon Bronze 96%Cu 3%Si 1%Zn	“	21.0			18.6